



Bright-Land Enterprises Inc., Limited

4/F, Bldg.2, Huihuang Industrial Park, Xitian, Gongming Town, Shenzhen 518106, China

Tel: 86-755-29080406

E-mail: info@led-tronic.com

Fax: 86-755-27934154

[Http://www.led-tronic.com](http://www.led-tronic.com)

Table controller introduction



Picture 1 totle product

Table controller is a special type LED controller, has many type of output, can provide customers with the output of the program he needs. Simple structure, small and elegant, four serial output. Widely used in high-level meeting place, important festivals, an important event in decoration.

Features:

- 1) output with 4 tubes, full-color gradient effect of fine soft, no flicker.
- 2) a variety of patterns, a gradual change, jump change, stroboscopic. . . . Effects such as changes in colorful
- 3) can provide a static monochrome, adjustable rate of change, LED brightness, suspension etc.
- 4) battery supply, can work more than 4 hours



Picture 2 table controller



Bright-Land Enterprises Inc., Limited

4/F, Bldg.2, Huihuang Industrial Park, Xitian, Gongming Town, Shenzhen 518106, China

Tel: 86-755-29080406

E-mail: info@led-tronic.com

Fax: 86-755-27934154

[Http://www.led-tronic.com](http://www.led-tronic.com)

1. Table controller

- 1) 24V battery supply, with charger
- 2) single-port output, XLR-4 connector output interface
- 3) wireless remote control, the distance of communication is more than 200m
- 4) can also control by the keyboard on the front plate

2. Remote controller



Picture 3 remote controller

- 1) 9V battery supply,
- 2) 1602 type LCD, can clearly display
- 3) wireless communication the distance is more than 200m



Picture 4 tubes



Bright-Land Enterprises Inc., Limited

4/F, Bldg.2, Huihuang Industrial Park, Xitian, Gongming Town, Shenzhen 518106, China

Tel: 86-755-29080406

E-mail: info@led-tronic.com

Fax: 86-755-27934154

[Http://www.led-tronic.com](http://www.led-tronic.com)

3. tubes

Tubes must be work with the controllers.

The LED in the tube look good when it works.

